Hand-guided vibratory roller BW 55- BW 75



BOMAG



Product overview Hand-guided rollers







Product overview







Product overview Single drum vibratory rollers



Water tank

Standard on BW 55 and BW 71

- Removable with a large filling port for easy water supply on site
- Corrosion-free for an extended service life
- High efficiency: spraying system mounted on the tank for the drums





Product overview Single drum vibratory rollers



Operation

- Everything in the driver's hands:
 speed, engine speed, and vibration
- Height adjustable
- Collapsible (BW 55)
- Key safety features
- 2 travel ranges and brake on the steering rod (BW 71)







Product overview Single drum vibratory rollers



Drive

- Maintenance-free mechanical drive
- Superior surface quality provided by the large drum diameter
- One drum: simple to load and easy to turn
- Optional support wheels for added safety and surface quality (BW 71)





Product overview Double vibratory rollers



Start device

 Simple and safe: electronic starter and emergency starter as standard






Product overview Double vibratory rollers



Operation

- Engine speed and stop on the operating console
- Ergonomic vibration switch and speed control
- Safety switch triggered at low force levels (optional as standard in the EU)
- Vibration-dampened to protect the operator and provide consistent longterm compaction results



Product overview Double vibratory rollers



Exciter and drive

- Both drums with exciter and forward drive = superior power and gradability.
- Easy access along walls and kerbs with minimal overhang on one side





Product overview Hand-guided rollers



Maximum investment protection 5 x customer choice

	3 years	2 years	1 year
STANDARD	Exciter unit, vibration drive, clutch	Engine	Standard warranty

or

4 X WARRANTY

5 years

	3 years	or	5 years
OPTIONAL	Complete machine with no labour costs		
OPTIONAL	Complete machine with labour costs		

Product overview



Service kits – all service parts in one box

